

## Circular

THICKNESS O/D mm	2.0	2.5	3.0	3.2	3.6	4.0	5.0	6.0	6.3	8.0	10.0	12.5	16.0
	kg/m												
21.3	0.95	1.16	1.35	1.43									
26.9	1.23	1.50	1.77	1.87									
33.7	1.56	1.99	2.27	2.41		2.93							
38.1		2.19	2.60			3.36							
42.4	1.99	2.46	2.91	3.09		3.79							
48.3	2.28	2.82	3.35	3.56		4.37	5.34						
60.3	2.88	3.56	4.24	4.51		5.55	6.82						
76.1			5.41	5.75		7.11	8.77						
88.9			6.36	6.76		8.38	10.30						
114.3			8.23		9.83	10.90	13.50	16.03	16.80				
139.7			10.11			13.40	16.60	19.78	20.70	26.00	32.00		
168.3						16.20	20.10	24.02	25.20	31.60	39.00		
193.7						18.70			29.10	36.60	45.30	55.90	70.10
219.1									33.10	41.60	51.60	63.70	80.10
244.5									37.00	46.70	57.80	71.50	90.20
273.0									41.40	52.30	64.90	80.30	101.00
323.9										62.30	77.40	96.00	121.00
355.6										68.60	85.10	106.00	134.00
406.4											97.80	121.00	154.00
457.0											110.00	137.00	174.00

## Gas List Tubes (Plain Ends)

NOMINAL BORE (O/D) mm	SELF COLOUR OR VARNISHED	GALVANISED	SELF COLOUR OR VARNISHED	GALVANISED	SELF COLOUR OR VARNISHED	GALVANISED
	LIGHT		MEDIUM		HEAVY	
	kg/m					
15 (21.3)	0.950	1.000	1.210	1.260	1.440	1.490
20 (26.9)	1.380	1.450	1.560	1.630	1.870	1.930
25 (33.7)	1.980	2.060	2.410	2.490	2.940	3.020
32 (42.4)	2.540	2.650	3.100	3.210	3.800	3.900
40 (48.3)	3.230	3.350	3.570	3.690	4.380	4.500
50 (60.3)	4.080	4.240	5.030	5.180	6.190	6.340
65 (76.1)	5.710	5.910	6.430	6.630	7.930	8.120
80 (88.9)	6.720	6.950	8.370	8.600	10.300	10.500
100 (114.3)	9.750	10.000	12.200	12.500	14.500	14.800
125 (139.7)			16.600	17.000	17.900	18.300
150 (168.3)			19.700	20.200	21.300	22.070

